Buckingham Township Fieldstone Water System 2024 Annual Drinking Water Quality Report - PWSID #1090123

Spanish (Español)

Este informe contiene información muy importante acerca de su agua potable. Haga que alguien lo traduzca para usted, ó hable con alguien que lo entienda. (This report contains very important information about your drinking water. Have someone translate it for you, or speak with someone who understands it.)

Is my water safe?

Last year, your tap water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. Buckingham Township vigilantly safeguards its water supplies and we are proud to report that our system did not violate a maximum contaminant level in 2024.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Where does my water come from?

Our water source is from two groundwater wells, FS-1 (source 001) and FS-2 (source 002) located in the open area between Windridge Drive and Church School Road. Emergency Interconnection CS to the Cold Spring System (source 003) becomes a source only when pressure in the Fieldstone system drops.

Water System Information

If you have any questions about this report or concerning your water utility, please contact Stephen Clark (215-794-8834). We want our valued customers to be informed about their water utility. We want you to be informed about your water supply. If you want to learn more, please attend any of our regularly scheduled meetings. Upcoming meeting dates are listed on the Township website at www.buckinghampa.org.

Source Water Assessment and its Availability

Source water assessment was completed by the Penn State Environmental Resource Research Institute and received from PA DEP in June of 2007. Copies of the complete report are available for review at the PA DEP Southeast Regional office, Records Management Unit at (484) 250-5910.

Water Conservation with an Instant Benefit

As concerns with water supplies across the country rise, we as good residents need to start looking at things around the home that can improve our use of this precious resource. Since all of the water in Buckingham Township is provided by groundwater wells located around the Township, it should be looked upon as a local resource that needs to be protected. Through water-saving technologies and simple steps that can be taken around the house, we can help ensure reliable water supplies today and for future generations.

Anyone who showers first thing in the morning may be familiar with the waiting period for hot water to reach the fixture. Depending on where the hot water heater is located and where the shower is, it can take up to 90 seconds for the hot water to arrive.

Hot water recirculation pumps are a convenient option that allows you to benefit from an immediate supply of hot water to all of the faucets in your home. This immediate availability can help you conserve water. Instead of having to wait for the water to heat up every time you take a shower, wash your hands, or do the dishes, these unique systems will pump hot water through the hot water piping system and back to your heater.

In most cases, the hot water recirculation pump has a motion sensor located near each water fixture in your home. This sensor activates the circulation pump each time you turn the water on. The system includes temperature sensors and a check valve that prevents water from going back into the return plumbing line. The recirculation pump actually moves water in the line back to the water heater, thus reducing the amount of time needed for hot water to reach your faucet. It is estimated a hot water recirculation pump can save 11,000 gallons per year in a four-person household. An on-demand hot water recirculation pump offers consumers an opportunity to maximize water conservation and energy efficiency. Unlike recirculation systems which run constantly or operate on a timer, the on-demand systems are button-activated and function only when needed. This option gives the consumer maximum control over their investment.

A recirculation pump may be a successful approach to water conservation in your home, office or business. If you are interested in obtaining more information about this technology, please contact a local, licensed plumber.



WATER QUALITY DATA

The Fieldstone Water System is routinely monitored for constituents in your drinking water according to Federal and State laws. The following table shows the results of our monitoring for the period of January 1st to December 31, 2024. However, the state allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data is from prior years in accordance with the Safe Drinking Water Act. The date has been noted on the sampling results table. Samples collection and testing was conducted by Analytical Laboratories, Inc. (215) 723-6466 during 2024.

CHEMICAL CONTAMINANTS

Contaminant	MCL in CCR Units	MCLG	Level Detected	Range of Detections	Units	Sample Date	Violation Y/N	Sources of Contamination
Chlorine (as CL2)	MRDL =4	MRDL G=4	1.56	0.17-1.56	ppm	2024	Y	Water additive used to control microbes.
Nitrate	10	10	3.62	2.22-3.62	ppm	2024	N	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Haloacetic Acids (HAA5)	60	N/A	11	N/A	ppb	2024	N	By-product of drinking water disinfection.
Dichloroacetic Acid (HAA)	N/A	N/A	4.3	N/A	ppb	2024	N	Some people who drink water containing Haloacetic acids in excess of the MCL over many years may have an increased risk of getting cancer.
Trichloroacetic Acid (HAA)	N/A	N/A	3.7	N/A	ppb	2024	N	Some people who drink wate containing Haloacetic acids in excess of the MCL over many years may have an increased risk of getting cancer.
Dibromoacetic Acid (HAA)	N/A	N/A	2.9	N/A	ppb	2024	N	Some people who drink wate containing Haloacetic acids in excess of the MCL over many years may have an increased risk of getting cancer.
Total Trihalomethanes (TTHMs)	80	N/A	35.4	N/A	ppb	2024	N	By-product of drinking water chlorination.
Chloroform (THM)	N/A	N/A	16.1	N/A	ppb	2024	N	Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer



Chlorine	0.40		0.80	0.80-2.1	ppm	2024	N	Water additive used to control microbes.
Contaminant	MinRDL	의 그림 독표를 제	est Level etected	Range of Detections	Units	Sample Date	Violation Y/N	Sources of Contamination
ENTRY POINT DI	SINFECT	. 4						
Barium	2	2	0.1	0.097-0.1	ppm	2024	N	Discharge of drilling waste, Discharge from metal refineries; Erosion of natural deposits
Contaminant	MCL in CCR Units	MCLG	Levei Detected	Range of Detections	Units	Sample Date	Violation Y/N	Sources of Contamination
Chlorodibromo- methane (THM)	N/A	N/A	6.8	N/A	dqq	2024	N	Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.
Bromodichloro- methane (THM)	N/A	N/A	10.8	N/A	dqq	2024	N	Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.
Bromoform (THM)	N/A	N/A	1.6	N/A	ppb	2024	N	Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.



LEAD A	LEAD AND COPPER									
Contamin ant	Action Level (AL)	MCLG	90 th Percentile Value	Range of Detections	Units	Sample Date	# of Sites Above AL of Total Sites	Violation Y/N	Sources of Contamination	
Copper (2022)	1.3	1.3	0.465	0.33-0.47	ppm	2022	0 out of 5	N	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives.	
Lead (2022)	15	0	0	0	ppb	2022	0 out of 5	N	Corrosion of household plumbing systems; Erosion of natural deposits.	

RADIOACTIVE CONTAMINANTS								
Contaminant	MCL in CCR Units	MCLG	Level Detected	Range of Detections	Sample Date	Units	Violation Y/N	Sources of Contamination
Combined Uranium (2019)	30	0	2.046	N/A	2019	μg/L	N	Erosion of natural deposits

Testing was conducted for a broad range of contaminants in 2024 which were <u>not</u> detected in our samples, including: nitrite, total coliform presence, volatile organic compounds, arsenic, cadmium, chromium, cyanide (free), fluoride, mercury, nickel, selenium, antimony, beryllium, thallium, endrin, lindane, methoxychlor, toxaphene, dalapon, diquat, endothall, glyphosate, di(2-ethylhexyl)adipate, oxamyl (vydate), simazine, di(2-ethylhexyl)phthalate, picloram, dinoseb, hexachlorocyclopentadiene, carbofuran, atrazine, alachlor, 2,3,7,8-TCDD (dioxin), heptachlor, heptachlor epoxide, 2,4-D, 2,4,5-TP silvex, hexachlorobenzene, benzo(a)pyrene, pentachlorophenol, PCBS, 1,2-dibromo-3-chloroprop, ethylene dibromide (EDB), and chlordane.

Some people who drink water containing Haloacetic acids in excess of the MCL over many years may have an increased risk of getting cancer.

Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.



Unit Descriptions	
<u>Terms</u>	<u>Definitions</u>
ug/L	Number of micrograms of substance in one liter of water
ppm	Parts per million (ppm) or Milligrams per liter (mg/l)
ppb	Parts per billion (ppb) or micrograms per liter (µg/l)
pCi/L	Picocuries per liter – a measure of radioactivity.
NA	Not applicable
ND	Not detected
NR	Monitoring not required, but recommended.
Important Drinking	g Water Definitions
<u>Term</u>	<u>Definition</u>
MCLG	Maximum Contaminant Level Goal – The level of a contaminant in drinking water below which there is no
	known or expected risk to health. MCLG's allow for a margin of safety.
MCL	Maximum Contaminant Level – The highest level of a contaminant that is allowed in drinking water. MCLs
	are set as close to the MCLGs as feasible using the best available treatment technology.
Π	Treatment Technique – A required process intended to reduce the level of a contaminant in drinking water.
AL	Action Level - The concentration of a contaminant which, if exceeded, triggers treatment or other
	requirements which a water system must follow.
Variances and	State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
Exemptions	
MRDLG	Maximum Residual Disinfection Level Goal – The level of a drinking water disinfectant below which there is
	no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to
·	control microbial contaminants.
MinRDL	Minimum Residual Disinfectant Level – The minimum level of residual disinfectant required at the entry
	point to the distribution system.
MRDL	Maximum Residual Disinfection Level – The highest level of a disinfectant that is allowed in drinking water.
	There is convincing evidence that addition of a disinfectant is necessary for control of microbial
	contaminants.
MNR	Monitored not regulated
MPL	State assigned maximum permissible level

Secondary Contaminant Testing

EPA has established National Secondary Drinking Water Regulations (NSDWRs) that set non-mandatory water quality standards for 15 contaminants. EPA does not enforce these "secondary maximum contaminant levels" (SMCLs). They are established as guidelines to assist public water systems in managing their drinking water for aesthetic considerations, such as taste, color, and odor. These contaminants are not considered to present a risk to human health at the SMCL. The table below summarizes selected testing for Secondary Contaminants which has been performed on your water.

Other Information Constituents

Testing for unregulated constituents Calcium and Magnesium were conducted in 2023 as part of our routine operating procedure. Calcium was detected at levels of 26-34 ppm and magnesium was detected at 12.6-16.2 ppm. In 2022, silica was detected at 26.2-27.4 ppm. There are no standards established for levels of these constituents in drinking water.

Contaminant	Detected Level	SMCL	Noticeable Effects above SMCL
Sulfate (2023)	27-28 ppm	250 ppm	salty taste
Iron (2023)	0-0.12 ppm	0.3 ppm	rusty color; sediment; metallic taste; reddish or orange staining
Manganese (2023)	0-0.007 ppm	0.05 ppm	black to brown color; black staining; bitter metallic taste



Information about Lead

Lead can cause serious health problems, especially for pregnant women and young children. Exposure to lead in drinking water can decrease IQ and attention span in infants and children. Lead exposure can lead to new learning and behavior problems or exacerbate existing learning and behavior problems. Children of women who are exposed to lead before pregnancy can have increased risk of these adverse health effects. Adults can have increased risks of heart disease, high blood pressure, kidney or nervous system problems. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Buckingham Township is responsible for providing high quality drinking water and removing lead pipes but cannot control the variety of materials used in plumbing components in your home. You share the responsibility for protecting yourself and your family from the lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower, doing laundry or a load of dishes. You can also use a filter certified by an American National Standards Institute accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested, contact Buckingham Township 215-794-8834 at contact@buckinghampa.org .Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at http://www.epa.gov/safewater/lead.

Exposure to lead in drinking water can cause serious health effects in all age groups. Infants and children can have decreases in IQ and attention span. Lead exposure can lead to new learning and behavior problems or exacerbate existing learning and behavior problems. The children of women who are exposed to lead before pregnancy can have increased risk of these adverse health effects. Adults can have increased risks of heart disease, high blood pressure, kidney or nervous system problems.

A Service Line Inventory has been completed for your water system in accordance with EPA regulations. The inventory identifies the material composition of service lines in our distribution system. Our records indicate that there are no lead service lines in our system. You can view the Service Line Inventory online at: www.Buckinghampa.org/2024-CCR-Fieldstone-Water

A printed copy is also available at Buckingham Township Administration Building 4613 Hughesian Drive Buckingham, PA 18912 by calling our office at (215) 794-8834.

Information about Copper

Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a

relatively short amount of time could experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years could suffer liver or kidney damage. People with Wilson's Disease should consult their personal doctor.

Information about Nitrate

Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider.

Information about Barium: While your drinking water meets EPA's standard for barium, it does contain low levels of barium. EPA's standard balances the current understanding of barium's possible health effects against the costs of removing barium from drinking water. The EPA continues to research the health effects of low levels of barium which is a chemical known at high concentrations when consumed over many years to have adverse health effects such as increase in blood pressure in humans.

Information about Uranium

Some people who drink water containing uranium in excess of the MCL over many years may have an increased risk of getting cancer and kidney toxicity.

Educational Information

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or human activity.

Other Violations

We are required to monitor drinking water for disinfection byproducts on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During 2024, we were late in reporting chlorine during quarter 2. Compliance for this violation was achieved. All results of samples taken were below the allowable level; you do not need to take any actions at this time.

**In the <u>first quarter of 2025</u>, a violation occurred for failure to monitor and report PFOS and PFOA samples. This occurred due to an internal DEP error in which our system's monitoring calendar did not reflect accurately our system's quarterly monitoring requirements; therefore we were unable to satisfy our sampling requirement and a violation notification occurred on April 25, 2025. DEP has since fixed the error and regular, routine sampling will occur. We will collect additional samples this quarter to achieve compliance. Please be advised drinking



water containing PFOA in excess of the MCL of 14 ng/L may cause adverse health effects, including developmental effects (neurobehavioral and skeletal effects). Please be advised drinking water containing PFOS in excess of 18 ng/L may cause adverse health effects, including decreased immune response. No further action is needed at this time.

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater run-off, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater run-off and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater run-off, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to assure that tap water is safe to drink, EPA and DEP prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. FDA and DEP regulations establish the limits for contaminants in bottled water which must provide the same protection for public health. Drinking water, included bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).





2024 Service Line Inventory – Public Access Report Fieldstone Water System

PWSID #1090123 Buckingham Township, Bucks County, Pennsylvania

Este informe contiene información muy importante acerca de su agua potable. Haga que alguien lo traduzca para usted, ó hable con alguien que lo entienda. (This report contains very important information about your drinking water. Have someone translate it for you, or speak with someone who understands it.)

This document presents the Service Line Inventory (SLI) for the Fieldstone Water System, as required under the EPA's Lead and Copper Rule Revisions (LCRR) and the Pennsylvania Department of Environmental Protection (PA DEP).

The LCRR requires all water systems to develop and maintain a comprehensive inventory of service line materials by October 16, 2024. This document supports public awareness and transparency.

If you have any questions about this report or concerning your water utility, please contact **Stephen Clark (215-794-8834).** We want our valued customers to be informed about their water utility. We want you to be informed about your water supply. If you want to learn more, please attend any of our regularly scheduled meetings.

In the table below you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we have provided the following definitions:

Lead: Known/suspected lead lines.

<u>Galvanized Requiring Replacement:</u> Previously downstream of lead.

Non-lead: Confirmed copper, plastic.

Unknown: Material not identified.



	SERVICE LINES		
SLI CLASSIFICATION	DEFINITION	NUMBER	PERCENTAGE
LEAD	ANY PORTION OF THE SERVICE LINE IS KNOWN TO BE MADE OF LEAD.	0	
GALVANIZED REQUIRING REPLACEMENT (GRR)	A PORTION OF THE SERVICE LINE IS GALVANIZED AND IS DOWNSTREAM FROM: -A PORTION THAT WS PREVIOUSLY LEAD OR IS OF UNKNOWN LEAD STATUS -CONNECTORS THAT ARE LEAD OR UNKNOWN	0	
NON-LEAD	AN EVIDENCE-BASED RECORD, METHOD, OR TECHNIQUE HAS DEMONSTRATED THAT ALL PORTIONS OF THE SERVICE LINE ARE NOT LEAD OR GRR	104	100%
UNKNOWN	THE SERVICE LINE MATERIAL IS NOT KNOWN. THER IS NOT ENOUGH EVIDENCE TO SUPPORT MATERIAL CLASSIFICATION	0	
TOTAL NUMBER C	F ACTIVE SERVICE LINES ENTERED IN THE DETAILED INVENTORY	104	100%

Customer participation is needed to meet our Lead and Copper testing requirements. The DEP requires ten (10) samples to be collected annually from different locations in our distribution system. Please help us satisfy these testing requirements by providing a water sample to our Representative upon request. These samples will be tested for lead and copper at no cost to you. A copy of the laboratory test results will be sent to you after testing. If you would like to assist us, please contact

Stephen Clark at (215-794-8834).

†Information about Lead

Lead can cause serious health problems, especially for pregnant women and young children. Exposure to lead in drinking water can cause serious health effects in all age groups. Infants and children can have decreases in IQ and attention span. Lead exposure can lead to new learning and behavior problems or exacerbate existing learning and behavior problems. The children of women who are exposed to lead before pregnancy can have increased risk of these adverse health effects. Adults can have increased risks of heart disease, high blood pressure, kidney or nervous system problems. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Buckingham Township is responsible for providing high quality drinking water and removing lead pipes but cannot control the variety of materials used in plumbing components in your home. You share the responsibility for protecting yourself and your family from the lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower, doing laundry or a load of dishes. You can also use a filter certified by an American National Standards Institute accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested, contact Buckingham Township at 215-794-8834. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at http://www.epa.gov/safewater/lead.

†Information about Copper

Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively short amount of time could experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years could suffer liver or kidney damage. People with Wilson's Disease should consult their personal doctor.

A printed copy is also available at Buckingham Township Administration Building 4613 Hughesian Drive, Buckingham, PA 18912 or by calling our office at (215)-794-8834.




APPENDIX





SERVICE LINE INVENTORY FORM

IMPORTANT NOTE: The classification of a service line applies to the entire length of the service line, regardless of ownership



	System-Owned Portion Material Type		Customer-Owned Portion Material Type	Service Line Classification ^{2,3,4,5}
Lead or lead-	lined	Any material		Lead
Any material		Lead or lead-li	ned	Lead
Unknown		Any material b	out lead or lead-lined	Lead Status Unknown
Any material	but lead or lead-lined	Unknown		Lead Status Unknown
Any material	but lead, lead-lined, galvanized, or unknown	Any material b unknown	out lead, lead-lined, galvanized, or	Non-Lead ¹
	System-Owned Portion		Customer-Owned Portion	
Lead Connector Upstream?	Material Type	Lead Connector Upstream?	Material Type	
No	Any material but lead, lead-lined, or unknown	No	Galvanized	Non-Lead
No	Galvanized	No	Any material but lead, lead-lined, or unknown	Non-Lead
No	Galvanized	No	Galvanized	Non-Lead
No	Not previously lead	No	Galvanized	Non-Lead
Yes or Not sure	Galvanized	Any response	Any material but lead, lead-lined or unknown	Galvanized Requiring Replacement
Yes or Not sure	Any material but lead, lead-lined or unknown	Any response	Galvanized	Galvanized Requiring Replacement
No	Any material but lead, lead-lined or unknown	Yes or Not sure	Galvanized	Galvanized Requiring Replacement
Any response	Previously lead or unsure if previously lead	Any response	Galvanized	Galvanized Requiring Replacement

¹ Any determination of Non-Lead is subject to review and approval by the Department

² It is only necessary to replace the portions of the service line that are Lead or Galvanized Requiring Replacement.

³ When both portions of the service line are Lead or Galvanized Requiring Replacement, both portions must be replaced <u>at the same time</u>. Partial replacements are not allowed.

⁴ If either portion of the service line is classified as Lead Status Unknown, it must be replaced <u>unless</u> further investigation changes the classification to Non-Lead. The change in classification must be submitted to the Department in the Updated Inventory.

⁵The presence of lead connectors, goosenecks or pigtails is only relevant to the determination of Galvanized Requiring Replacement.



SERVICE LINE INVENTORY FORM

LCRR Tap	Sampling Tier Determination		
Tier Level	Applies To:	* May Apply To:	**Does NOT apply to:
1	CWS Systems: Single Family Residence connected to a Lead Service Line NTNC Systems: Any building type connected to a Lead Service Line	CWS Systems: Multi Family Residence connected to a Lead Service Line if Multi Family Residences make up MORE than 20% of the distribution system	CWS & NTNC Systems: Service lines classified as Galvanized Requiring Replacement or Lead Status Unknown
2	CWS Systems: Any Building/Other connected to a Lead Service Line	CWS Systems: Multi Family Residence connected to a Lead Service Line if Multi Family Residences make up LESS than 20% of the distribution system	CWS Systems: Service lines classified as Galvanized Requiring Replacement or Lead Status Unknown; NTNC Systems
3	CWS Systems: Single Family Residences connected to a Galvanized Requiring Replacement Service Line NTNC Systems: Any building type connected to a Galvanized Requiring Replacement Service Line		CWS & NTNC Systems: Services lines classified as Lead Status Unknown
4	CWS Systems: Service lines connected to a Single Family Residence that contains copper pipes with lead solder		CWS Systems: Services lines classified as Lead Status Unknown; NTNC Systems
5	CWS Systems: Single Family and Multi Family Residences where the plumbing is representative of other locations served by the system NTNC Systems: Any building type where the plumbing is representative of other locations served by the system	CWS Systems: Service lines connected to a Building/Other location IF there are an insufficient number of Single Family or Multi Family Residential Tier 5 sites available	

^{*} Buildings/residences with a Point of Use (POU) treatment device MAY be used for LCRR Tap Sampling - IF - there is another tap location that is used to dispense potable which does NOT have a POU device installed. It is not acceptable to sample from a location where the POU device has been removed for purposes of collecting a sample.

^{**} Buildings/residences with a Point of Entry (POE) treatment device may NOT be used for LCRR Tap Sampling.




SERVICE LINE INVENTORY FORM

Using Mechanical Excavation as Evidence of Non-Lead

Return to Instructions

- → "Mechanical Excavation" refers to any technique that allows physical access to the exterior of the service line piping, including but not limited to: trenching, potholing, and vacuum extraction.
- → To provide sufficient evidence for a designation of Non-Lead, mechanical excavation must be performed at a minimum of 3 locations across the length of the service line, as follows*:
- 1. Curb stop to building
 - . A minimum of 18 inches from the curb stop
 - OR -
 - If the distance to the building is less than 18 inches, halfway to the building
- 2. Curb stop to water main
 - . A minimum of 18 inches from the curb stop
 - OR -
 - . If the distance to the water main is less than 18 inches, halfway to the main
- 3. Third point (choose one)
- Inside the home where the service line enters if visible (must be inspected by system personnel OR the home owner must submit a clear photograph to the water system)
 - OR -
 - A second excavation point in the longer section of the service line that is at least halfway between the first point and the building or water main
 - *EXCEPTION: If the system is using Mechanical Excavation as the means of identification on only one side of a Jointly-owned system, then only two-points of verification are needed on that side.

3-Point Field Verification — Non-Lead



3. Or, inside home where service line enters



SERVICE LINE INVENTORY FORM

Inventory Requirements of the LCRR

	Inventory Requirements of the LCRR	
Question	Answer	Regulatory Citation(s)
Who must prepare a service line inventory?	All community water systems (CWSs) and non-transient non-community water systems (NTNCWSs).	40 CFR §141.84(a)
2. What material classification should I use?	Service lines must be classified as one of four types: — Lead, — Galvanized Requiring Replacement (GRR), — Non-Lead, (specify the actual material such as copper or plastic), or — Lead Status Unknown. → This spreadsheet will determine the service line classification for you if completed correctly. → Where the material is unknown, EPA recommends that systems consider using subclassifications to capture additional information (e.g., unknown - unlikely lead).	40 CFR §141.84(a)(4) and §109.706
3. What if the service lines in my system are split ownership, meaning that my system owns a portion and the customer owns a portion?	The inventory must include both the system-owned and customer-owned portions of the service line; however, systems must count each service line from the water main to the interior building plumbing <i>only once</i> for determining the number of service lines requiring replacement (<i>i.e.</i> , lead service lines and GRR), assigning a tap sample tiering classification, and facilitating reporting of inventory information to states and EPA. See the "Class & Tier Info" tab for information on how the spreadsheet classifies service lines that have split ownership.	40 CFR §§141.84(a)(2) & (a)(7)(i)
4. What information should I use to identify service line material and prepare my inventory?	You must use previous materials evaluation, construction and plumbing codes/records, water system records, distribution system inspections and records, information obtained through normal operations, and state-specified information to prepare your inventory. EPA recommends systems consider additional service line investigation methods such as visual inspection, water quality sampling, and excavation.	40 CFR §§141.84(a)(3) & (a)(5)
5. When is the initial inventory due?	October 16, 2024.	40 CFR §141.80(a)(3)1
6. What if I have no Lead, Galvanized Requiring Replacement (GRR), or Lead Status Unknown service lines?	You have some different requirements that are explained in the answers to questions 7, 8, and 9.	N/A
7. Do I need to update my inventory?	For systems with Lead, GRR, or Lead Status Unknown service lines The service line inventory should improve over time with better information. You must submit inventory updates to your state on the following frequency: (1) Annually if you conduct lead tap sampling semi-annually or annually. (2) Triennially (i.e., once every 3 years) if you conduct lead tap sampling triennially. For systems with only Non-Lead service lines You are not required to provide an update. However, if you subsequently find any LSL or galvanized requiring replacement service line, you must notify your state within 30 days and prepare an updated inventory on a schedule established by the state.	40 CFR §141.90(e)(3)
8. Do I need to make my information publicly available?	For systems with Lead, GRR, or Lead Status Unknown service lines You must make the inventory publicly available and include a locational identifier for lead service lines and GRR. Water systems serving more than 50,000 people must provide inventories on-line. For systems with only Non-Lead service lines You can provide a written statement, in lieu of the inventory, that your distribution system has no lead service lines or GRR service lines along with a general description of all applicable sources used to make that determination.	40 CFR §§141.84(a)(8) & (a)(9)
9. Do I need to include a statement in my Consumer Confidence Report (CCR)? 10. What information must States report	For systems with Lead, GRR, or Lead Status Unknown service lines CWSs must indicate how the public can access the service line inventory information in their CCR. For systems with only Non-Lead service lines CWSs must include a statement that a service line inventory contains no lead service lines and instructions on how to access the information. For each water system, the number of Lead, GRR, and Lead Status Unknown service	40 CFR §141.153(d)(4)(xi)
to EPA?	lines in its distribution system, reported separately.	40 CFR §142.15(c)(4)(iii)(D)

Notes:

¹ On June 10, 2021, EPA signed a rule extending the compliance date from January 16, 2024 to October 16, 2024 (86 FR 31939).



SERVICE LINE INVENTORY FORM

General Inform	nation					
Revision Tracking						
Inventory Type:	Initial Inventory Date (Required):	Updated Inventory Date:				
Initial	10/14/2024		J			
Facility Information		THE STATE OF STREET	ACTION TO THE PARTY OF THE PART			
Water System Name:						
Fieldstone						
	Total Population Served					
PWSID (7-digit number):	(number of people):	Number of Service Connections:	PWS Type:			
1090123	281	104	cws			
1. If CWS, do multi-family	residences comprise ≥ 20% of the structures s	erved?	No			
2. Does the number of ser	vice connections reported on the Detailed Inve	entory tab (shown above),	Yes			
	orted to DEP on the annual Average Daily Wate					
3. Does the water system	serve any Disadvantaged Communities?		No			
	500A 50	If Yes, enter approximate percentage:	0%			
4. Is there documentation	that defines service line ownership in this syst	tem, such as a local ordinance?	Yes			
If Yes, describe below (2	50 character maximum):					
Township Water standards	s require a joint ownership.					
Physical Address						
Street (No P.O. Boxes):						
4613 Hughesian Drive						
City or Town:		State:	Zip Code:			
Buckingham		PA	18912			
Mailing Address (if differe	nt from Physical Address)					
Street or P.O. Box:						
City or Town:		State:	Zip Code:			
city of Town.		State.	Lip code.			
Contact Person						
Name:		Title:				
Liam Allenstein-Lyon		Assistant Project Designer				
Telephone (ten digit):		Email:				
(717) 686-4692		lallenstein-lyon@casval.com				
Report Prepared By:	THE RESERVE OF THE RESERVE OF THE PERSON NAMED IN	Same as Contact Person?	Yes			
Name:		Title/Affiliation:				
Telephone (ten digit):		Email:				
		l				
Public Access D	Occumentation					
How is the system making i	its inventory accessible to the public? Check a					
NOTE: If the system serves	> 50,000 people, the inventory MUST be provi	ded on-line.	I			
☐ Interactive on-	-line map	✓ Information on water utility	mailings or newsletter			
☐ Static on-line r		 Hard copy information avail 				
Printed service line map Other						
✓ Printed tabula	r data					
If "Other", please describ	ne (250 character maximum):					



SERVICE LINE INVENTORY FORM

Inven	tory Methodology			
	e: Fieldstone			
PWSID: 1	090123		No	
Part 1: H	istorical Records Review			
	Type of Record	Examples	Describe the Records Reviewed (250 character maximum)	Level of Confidence in Records
1. Previo	us Materials Evaluation	Locations of Tier 1 lead tap sampling locations that are served by a lead service line.		No Records
2. Constr Record	uction and Plumbing Codes and ds	Local ordinance adopting an international plumbing code. Permits for replacing lead service lines.	The entirety of the water system was installed after the PA lead ban.	High
3. Water	System Records	Distribution system maps. Tap cards. Meter installation records. Standard operating procedures.	Subdivision plans, as-builts, inspection reports	High
4. Distrib Recore	ution System Inspections and ds	Service line repair/replacement records. Inspection records.		No Records
5. Other				No Records
D 0-1-	lentifying Service Line Material Du	ring Normal Operations		-CONTROL -CONT
		formation collected about service line mate	rial? Check all that apply.	
☐ Wat	er meter reading er meter repair or replacement rice line repair or replacement er", please explain (250 character max	✓ Water main repair or replacement ☐ Backflow prevention device ☐ Other cimum):		
	e system developed standard operatin e line material information?	g procedures (SOPs) for collecting	Yes	
	, please describe (250 character moxin roject report form requests the inform			
Part 3: S	ervice Line Investigations			SECTION .
		s used by the system to prepare this invento	ory (check all that apply).	
	olumn A: File/Record Review	Column B: Analytics	Column C: Physical Inspection	
	Customer Self-Identification	✓ Statistical Analysis	☐ Visual Inpection at Existing Access Point	
v	Previous Materials Evaluation	☐ Predictive Modeling	CCTV Inspection Inside Pipe	
v	Installation Record (e.g., tap card)	☐ Water Quality Sampling	☐ CCTV Inspection Outside Pipe (Curb Box)	
	Repair or Replacement Record	☐ Other analytics technique	☐ Mechanical Excavation (e.g., Potholing, Trenching)	
	Other type of record review		Other physical inspection method	
If "Oth	er", please explain (250 character max	imum):		
For ex		e populations, statistical modeling, or target	ing areas with high numbers of	
Lead S N/A	tatus Unknowns? (250 character maxi	mum)		



SERVICE LINE INVENTORY FORM

Inventory Response Summary information

PWS Name: Fieldstone PWSID: 1090123

NOTES: Information will autofill based on the responses in the Detailed Inventory. Record types marked "Inactive" are not included.

Service Line Classification Su	mmary		
Service Line Classification	Definition	Number	Percentage
Lead	Any portion of the service line is known to be made of lead.	0	
Galvanized Requiring Replacement	A portion of the service line is galvanized and is downstream from: — a portion that was previously lead or is of unknown lead status — connectors that are lead or unknown	0	
Lead Status Unknown	The service line material is not known. There is not enough evidence to support material classification.	0	
Non-Lead	An evidence-based record, method, or technique has demonstrated that ALL portions of the service line are NOT lead or GRR.	104	100%
TOTAL NUMBER OF ACTIVE SER	VICE LINES ENTERED IN THE DETAILED INVENTORY	104	100%
Service Line Classification by	School/Childcare Summary		
		Number	Percentage
Service Lines Connected to a Childcare facility:		0	
	Lead	0	
	Galvanized Requiring Replacement	0	
	Lead Status Unknown	0	
	Non-Lead	0	
Service Lines Connected to an Elementary School:		0	
	Lead	0	
	Galvanized Requiring Replacement	0	
	Lead Status Unknown	0	
	Non-Lead	0	
Service Lines Connected to an Secondary School:		0	
	Lead	0	
	Galvanized Requiring Replacement	0	
	Lead Status Unknown	0	
	Non-Lead	0	
Lead Status Unknown Service Lines:		0	
	Likely Lead	0	
	Likely Ledu		



SERVICE LINE INVENTORY FORM

Inventory Response Summary information

PWS Name: Fieldstone PWSID: 1090123

NOTES: Information will autofill based on the responses in the Detailed Inventory. Record types marked "Inactive" are not included.

Tap Sample Monitoring Locations by Tier		
Tier	Number	Percentage
Tier 1	0	
*Tier 1 – or – Tier 2	0	
Tier 2	0	
Tier 3	0	
Tier 3 (if not enough Tier 1)		
Tier 4	0	
Tier 5	104	100%
**Tier 5 (if not enough SFR & MFR)		
Tier 5 (if not enough Tier 1 & 3)		
Systems w/POE do not meet tiering criteria		
NUMBER OF TIERED LOCATIONS:		
NUMBER OF SERVICE LINE LOCATIONS NOT TIERED:		

^{*}For CWS, if the %MFRs is > 20%, a proportional number of MFRs may be assigned to Tier 1

^{**}For CWS, if there are insufficient SFR & MFR Tier 5 stuctures, may use Building/Other